

Agencies Brochure





INTRODUCTION

Welcome to our Laois Hire agencies brochure. Enclosed you will find details of our product range available through our five main agencies - Selwood, Western Global, CompAir, Amsig and Husqvarna.

As the main Irish agents for these leading global brands, we can offer in-depth product knowledge and advice, full product service, and a competitive price.

If you require any further information about the products enclosed please contact the relevant Laois Hire expert as listed below:



Selwood:

Keith McCann 086 834 8866 kmccann@hss.com



Western Global:

Paul Oxley 087 415 8217 poxlev@hss.com



Amsig:

Florence Lawless 087 614 4553 flawless@laoishire.com



CompAir:

Niall Brenann 087 952 4652 nbrennan@laoishire.com



Husqvarna:

Niall Brenann 087 952 4652 nbrennan@laoishire.com



SELWOOD PUMPS

Agents for Selwood Pumps in Ireland

In 2013 Laois Hire won the agency for Selwood Pumps in Ireland. Since then Laois Hire customers have benefited greatly from the hire and purchase of Selwood Pumps.

Selwood Background

Selwood has designed and manufactured mobile site pumps since 1953 and is now acknowledged as one of the UK leaders in this field with 75% of units being exported through a worldwide distributor network.

Selwood projects

Laois Hire has already grown Selwood's Irish business base and this is set to continue with high-profile contract wins most notably large-scale road building projects such as the M17/M18 Tuam to Gort motorway in Galway, the M11 Gorey to Enniscorthy motorway as well as cleaning rivers and canals with Waterways Ireland. Also, Laois Hire assisted Enva Ireland Ltd in pumping crude oil from a millionlitre holding tank on a project along a 3km pipeline out to an awaiting ship, using a Selwood high head pump which has the capacity to pump 200 tons of crude oil per hour.

Environmental Features

- Selprime
- Super Silent
- Fully Bunded
- Auto Stop/Start
- Telemetry
- HS Pump Hydraulics

To buy or hire a Selwood pump, contact Keith McCann on 086 834 8866 or kmccann@hss.com

Selwood Solids Handling 'S' Range





FEATURES

- Solids handling to 120mm
- Vortex style pump
- Environmentally friendly Selprime automatic self priming
- Emission compliant engines
- Ease of operation & maintenance
- Proven design

Data Sheets are available at www.selwoodpumps.com

Technical Specification					
Model	S100	S150	S200	S300	
Capacity m³/h	165	320	560	1100	
Total Head m	21.3	21.3	23	32	
Solids Size mm	75	100	100	120	
Self Priming Lift m	8.8	8.8	8.8	8.8	
Air Handling I/s	24	24	24	24	
Power Required kW	16	32	42	80	
Pump Speed rpm	1600	1600	1600	1600	
Inlet / Outlet mm	100	150	200	300	

Selwood Drainer 'D' Range



SELWOOD www.selwoodpumps.com

FEATURES

- Flows up to 600 m³/h
- Environmentally friendly Selprime automatic self priming
- Emission compliant engines
- Ease of operation & maintenance
- Robust construction

Data Sheets are available at www.selwoodpumps.com

Technical Specification							
Model	D75	D80	D100	D150	D150WP	D150R	D200
Capacity m³/h	59	90	120	380	275	315	600
Total Head m	23.5	23	26	40.5	21	27	37.5
Solids Size mm	29	29	29	45	45	45	55
Self Priming Lift m	8.8	8.8	8.8	8.8	8.8	8.8	8.8
Air Handling I/s	4.25	4.25	4.25	24	48	24	24
Power Required kW	3.8	6.5	6.5	28	12	17	42
Pump Speed rpm	2000	2000	2000	2000	1500	1750	1500
Inlet / Outlet mm	75	80	100	150	150	150	200

Selwood High Head 'H' Range





FEATURES

- Total heads up to 158m
- · Mechanical shaft sealing
- Environmentally friendly Selprime automatic self priming
- HM hard metal pumps for abrasive applications
- Emission compliant engines
- Ease of operation & maintenance
- Robust construction

Data Sheets are available at www.selwoodpumps.com

Technical Specification								
Model	H80	H100	H125	H150	H200	H100 HM	H150 HM	H200 HM
Capacity m³/h	95	225	TBA	450	750	225	450	950
Total Head m	95	120	TBA	106	158	79	95	85
Solids Size mm	19	30	TBA	30	45	30	38	60
Self Priming Lift m	8.8	8.8	TBA	8.8	8.8	8.8	8.8	8.8
Air Handling I/s	4.25	24	TBA	24	24	24	24	24
Power Required kW	30	82	TBA	138	330	87	130	250
Pump Speed rpm	2000	2200	TBA	1800	1800	2200	1800	1600
Inlet / Outlet mm	80	100	TBA	150	200	100	150	200

Selwood Hydraulic Submersible 'HS' Range





FEATURES

- Multiple hydraulic circuits
- · Environmentally friendly
- Up to 100m hose
- 24hr running
- Emission compliant engines
- Ease of operation & maintenance
- Robust construction

Data Sheets are available at www.selwoodpumps.com

Technical Specification						
Model	HSP10	HSP20	HSP35	HSP110		
Engine Speed rpm	1793	1835	1586-1874	1586		
Hydraulic Flow I/min	20	30	60	20 / 60 / 120		
Hydraulic Pressure bar	118 - 165	190 - 244	155 - 240	118 - 210		



WESTERN GLOBAL



Agents for Western Global

Laois Hire won the agency for Western Global in 2014. As agents for Western Global, we have the listed products available for sale and hire and we also have access to the extended range of Western Global tanks available for sale.

Western Global Background

As a leading provider of portable tanks and dispensing equipment for the storage and handling of fuels, lubricants and other fluids, Western Global is able to supply safe, reliable and cost-effective turnkey refuelling solutions globally regardless of the application.

To buy or hire a Western tank, contact Paul Oxley on 087 415 8217 or poxley@hss.com

Fuel Bowsers: Abbi Highway





FEATURES

- Mounted on a uni chassis trailer for highway transport
- Hot dip galvanised chassis for protection against corrosion
- Rubber torsion suspension axle for soft ride
- Height adjustable jockey wheel and ball or eye coupling
- Tank mechanically removable from trailer for multiple uses
- Drum type auto-reverse braking comes with hand parking brake
- Vibration tested

Technical Specification						
Capacity	500Ltr (110 gal)	950Ltr (210 gal)				
Length (mm)	2920	2895				
Height (mm)	1340	1550				
Width (mm)	1420	1700				
Weight (Kg)	475 (900 full)	500 (1300 full)				

Auxillary Fuel Tank: Transcube Global





FEATURES

- UN approved No need to empty tank before transporting away from site
- As an auxiliary fuel tank it provides longer engine running time, reducing number of site visits required for refuelling
- Multi task tank Feed and return fuel lines to up to 3 engines (e.g. generators) and refuel equipment via pump at the same time
- Can be easily and safely handled full or part full of fuel by crane or forklift
- Unique design can stack 2 high full or 3 high empty to reduce footprint requirements in storage or on location
- Removable inner tank for maintenance and inspection
- Innovative size provides optimum logistics.
 Width fits across truck beds with no overhang and inside ISO shipping containers; height allows stacking inside high cube containers and on flat bed trailers
- Vibration tested

Technical Specification		
Capacity	950Ltr (210 gal)	2000Ltr (440 gal)
Length (mm)	1150	2300
Height (mm)	1150	1150
Width (mm)	1320	1320
Weight (Kg)	514 (1377 full)	865 (2665 full)



COMP AIR



Your local CompAir agents

Laois Hire are proud to introduce their newest agency, CompAir, winning the agency in 2016.

ComAir Background

CompAir stands for continuous innovation and development of compressors and compressed air equipment. Ground breaking compressed air technologies, such as Quantima, deliver superb

efficiency and performance. Plus, with the dedicated in-house airend manufacturing CompAir is able to specifically influence the performance of the compressor to achieve the highest levels of reliability and efficiency.

Customers globally trust in the expertise and experience of CompAir.

To hire or buy a CompAir compressor, contact Niall Brennan on 087 952 4652 or nbrennan@laoishire.com

C10-12 - C14





Volume Flow		Operating Pressure		
m³/min	cfm	bar	psi	
1.0 to 1.4	35 to 49	7 to 12	101 to 174	

FEATURES

This small and lightweight range is a powerful alternative to electronic tools and ideal for a wide range of repair and installation jobs.

The C14 weighs just 160 kg and is easy to transport in a van or delivery vehicle.

A removable 20 litre petrol tank reduces the weight even more to 142 kg.

These compact compressors are equipped with a fuel-efficient, air-cooled petrol engine, type Honda GX 630V-Twin.

C20 - C30





FEATURES

This range offers the capability to run up to two breakers. The compressors are driven by quietrunning, energy efficient Kubota engines.

With the benefit of a wide engine speed range, fuel savings are increased and the engine reliability and lifetime are enhanced.

 Volume Flow
 Operating Pressure

 m³/min
 cfm
 bar
 psi

 2.0 to 3.0
 71 to 106
 7 to 10
 101 to 145

With an integrated generator, which can supply power for lights and electric tools, these portables compressors suit many applications. With an operating weight less than 500 kg (unbreaked) they can be towed by small vehicles.

C35-10 - C50





FEATURES

This popular range is very quiet which makes it suitable particularly for urban applications. Many rental companies use this range because of the versatile application capabilities and the easy operation.

They are available in different chassis versions and with various options, such as integrated generator and after cooler. With a weight less than 750 kg (C38 and C42) these compressors are easy to transport.

They are driven by a reliable, very quiet-running, water-cooled Yanmar 4-cylinder diesel engine with direct injection. Diesel particle filters can be retrofitted to existing models, allowing the use in emission-restricted areas

Volume Flow		Operating Pressure		
m³/min	cfm	bar	psi	
3.5 to 5.0	123 to 177	7 to 10	101 to 145	

C55-14 - C76





FEATURES

This new range of compressors stands out for its low diesel consumption, which is 10% less than the previous range. Equipped with a Diesel Particle Filter, these modern compressors are built to the latest emission standard Stage 3B.

Thanks to a wide pressure range up to 14 bar, this compact compressor range is extremely versatile and meets the requirements of numerous applications.

 Volume Flow
 Operating Pressure

 m³/min
 cfm
 bar
 psi

 5.5 to 7.6
 194 to 268
 7 to 14
 101 to 203

The compressors have enough storage capacity for two hammers, picks or any other pneumatic tools. Separate engine and compressor air filters guarantee a long service life. All of the service points are strategically located for easy access.

C85-14 - C140-9





Volume Flow		Operating Pressure		
m³/min	cfm	bar	psi	
8.5 to 13.3	300 to 470	7 to 14	101 to 203	

FEATURES

Designed for the toughest site conditions, whether it's for road building, civil engineering or restoration work, this range offers outstanding reliability, performance and compressed air quality.

The compressors are equipped with numerous features as standard, offering substantial cost savings to customers. Thanks to the inclusion of two batteries reliable running and performance can be also achieved in the coldest winter. The durability of these compressors is further enhanced by additional engine management protection.

The diesel engines are fitted with electronic fuel injection to meet the European emission standards. Diesel particle filters can be retrofitted to existing models, allowing the use in emission-restricted areas.

C200TS-24 - C270TS-9 TurboScrew





Volume Flow		Operating Pressure		
m³/min	cfm	bar	psi	
20 to 27	706 to 953	9 to 24	130 to 348	

FEATURES

The TurboScrew compressors with their unique bi-turbo technology provide class-leading diesel efficiency, the lowest weight of 3,500 kg and super-clean performance in accordance with EC directive 97/68/EG Stage 4 final. The TurboScrew includes the acknowledged SCRT®(Selective Catalytic Reduction Technology) exhaust after treatment system, including oxidation catalytic convertor and diesel particle filter (DPF). This system is capable of removing almost all of the nitrogen oxide emissions from the diesel exhaust gases. The patented bi-turbo technology achieves a 14% higher energy delivery to the compressor than conventional technologies. With average site conditions where the demand varies between idle, part load and full load, the TurboScrew consumes up to 30% less diesel than most of the conventional compressors on the market, resulting in significant cost savings.



AMSIG



Agents for Amsig

Laois Hire Services is the leading specialist in Portable Changeable Message Signs, which allow their users efficient road traffic management and real-time information for the public.

Amsig Background

American Signal Company (Amsig), founded in 1990 and based in Atlanta, Georgia, is a manufacturer of a comprehensive line of portable products for a variety of informational and traffic control applications including message signs, cameras, Highway Advisory Radios, and sensors.

To buy or hire Amsig VMS, contact Florence Lawless on 087 614 4553 or flawless@laoishire.com

GP432T





For Applications in:

- Road Safety
- Traffic Calming
- Public Events & Shopping Centres
- Incident Management
- Road Development Sites

Key Features

- Remote Operation Full Matrix: 50 pixels x 28 pixels
- Wide Angle Viewing
- 267mm-760mm Character Heights
- Radar Speed Detector
- Solar Primary Power charging system with on board AC charger
- Environmentally Friendly
- Weather Tight Control Cabinet
 with backlit LED handheld controller

GP432T			
Height (raised)	138"/3.5m	Control Console Display	Backlit LED
Height (Storage)	92"/2.34m	Pre-Programmed Messages	199
Length	119"/3.02m	User-Defined Messages	199
LED Operating Temp	-22° - +165°F	Message Sequences	250
Electronics Temp. Rating	-30° - +165°F	LED Brightness Levels	9
Sign Display Height	48"/1.22m	LED Display: Update Speed	Variable in .10 sec increments
Sign Display Width	96"/2.44m	LED Display: Colour	ITE Amber Hi-Intensivity



HUSQVARNA



In 2014, Laois Hire became the home of Husqvarna. We carry a full range of Husqvarna lawnmowers, riders, garden tractors, chainsaws, and hedge Trimmers. As Husqvarna agents, we are also able to offer a comprehensive after sales service for all Husqvarna equipment.



To purchase Husqvarna equipment, contact Niall Brennan on 087 952 4652 or nbrennan@laoishire.com



NOW SELLING LAWN **MOWERS FROM JUST** €399_{.99}



A WINNING FORMULA



HUSQVARNA RIDER 213c



Free Trafer made of sturby steel with topable lift worth \$299.99 with every Huspatha fides soid. While stooks liet enquire in ston



HUSQVARNA TC130





HUSQVARNA 122HD60



Tree Hustvarna Working Gover worth \$18.99 A Franciscopping Visco Multiproving worth #54.99 White stocks last angular in-stone for more defails



VISIT US ONLINE

laoishire.com



Athy

Laois Hire Services Ltd, Kilkenny Road, Co. Kildare T: 059 86 40555

Dublin

1a Avonbeg Industrial Estate, Longmile Road, Dublin 12 T: 01 90 22331

Nurney

Laois Hire t/a Flemings Hire and Sales Rathconnell, Nurney, Co. Kildare
T: 059 86 26157

Enniscorthy

Old Dublin Road, Enniscorthy, Co. Wexford T: 053 9270532



Portlaoise (Head Office)

Laois Hire Services Ltd, Clonminam Industrial Estate, Co. Laois T: 057 86 60232

Portarlington

Laois Hire Services Ltd, U12 Portarlington Industrial Estate, Co. Laois T: 057 86 45033

Galway

Laois Hire Services Ltd, Galway Laois Hire Services Ltd, Carnmore West, Oranmore Co. Galway T: 091 39 4706

NATIONWIDE DELIVERY AVAILABLE



